

The image features the Liqui Moly logo at the top center, with 'LIQUI' in white on a blue background and 'MOLY' in white on a red background. The background is a faded, high-angle view of a motorcycle engine and front wheel. A large, dynamic splash of golden oil is on the left side, flowing downwards. At the bottom, there is a black banner with white and red text.

LIQUI
MOLY

PROUDLY DISTRIBUTED BY:

AUTOMATIC
DISTRIBUTORS

2 STROKE OIL

**Snowmobile Motor Oil
2T Pro Race**

Fully synthetic high-performance 2-stroke motor oil developed and tested on racing machines. Ensures maximum performance and protection of the engine in all operating conditions. Outstanding lubrication and engine cleanliness, excellent friction and minimum wear as well as less smoke. This oil improves the riding experience!

- reduces smoke formation and lowers emissions
- high wear resistance
- good corrosion protection
- residue-free combustion
- self mixing
- high thermal stability



Size	QTY/CS	MFG #	Part #
1-Liter	6	20144	746068
4-Liter	4	20146	746038

**Motorbike 2T Synth
Offroad Race**

Fully synthetic high-performance 2-stroke motor oil developed and tested on racing machines. Ensures maximum performance and protection of the engine in all operating conditions. Outstanding lubrication and engine cleanliness, excellent friction behavior and minimized wear as well as less smoke. This oil improves the riding experience!

- high wear resistance
- residue-free combustion
- prevents the build-up of deposits
- high thermal stability
- good corrosion protection
- self mixing



Size	QTY/CS	MFG #	Part #
1-Liter	6	20178	746033
4-Liter	4	20180	746058

4 STROKE OIL

ATV 4T Motoroil SAE 5W-50

Fully synthetic high-performance motor oil, developed and tested on racing machines. Ensures maximum performance and protection even in extreme operating conditions. Provides maximum engine cleanliness, reduced friction and minimum wear with smooth clutch operation, and effortless gear shift resulting in complete riding satisfaction!

- high lubrication reliability
- high wear resistance
- ideal with catalytic converters
- outstanding engine cleanliness
- optimum oil pressure under all operating conditions
- instant lubrication after cold start



Size	QTY/CS	MFG #	Part #
1-Liter	6	20212	746044
4-Liter	4	20214	746063

**Motorbike 4T SAE
10W-40 Street**

Fully synthetic high-performance motor oil provides optimum performance and engine protection in all operating conditions. Ensures outstanding engine cleanliness, excellent friction behavior and minimum wear together with perfect clutch operation, and smooth gear shifting.

- guarantees low oil consumption
- optimum stability to aging
- optimum lubrication under all operating conditions
- outstanding engine cleanliness
- ideal with catalytic converters
- especially suitable for wet clutches



Size	QTY/CS	MFG #	Part #
1-Liter	6	20054	746042
4-Liter	4	20056	746040
20-Liter	1	20302	746067

Motorbike 4T SAE 10W-30 Street

Fully synthetic high-performance motor oil provides optimum performance and engine protection in all operating conditions. Ensures outstanding engine cleanliness, excellent friction behavior and minimum wear together with perfect clutch operation, and smooth gear shifting.

- high wear resistance
- optimum stability to aging
- especially suitable for wet clutches
- optimum lubrication under all operating conditions
- outstanding engine cleanliness
- excellent shear stability
- ideal with catalytic converters
- guarantees low oil consumption



Size	QTY/CS	MFG #	Part #
1-Liter	6	20418	746065
4-Liter	4	20420	746060

Motorbike 4T SAE 15W-50 Street

Fully synthetic high-performance motor oil provides optimum performance and engine protection in all operating conditions. Ensures outstanding engine cleanliness, excellent friction behavior and minimum wear together with perfect clutch operation, and smooth gear shifting.

- optimum stability to aging
- guarantees low oil consumption
- especially suitable for wet clutches
- ideal with catalytic converters
- outstanding engine cleanliness
- optimum lubrication under all operating conditions
- high wear resistance
- high shear stability



Size	QTY/CS	MFG #	Part #
1-Liter	6	20058	746035
4-Liter	4	20060	746034

**Motorbike 4T SAE
20W-50 Street**

High quality mineral-based motor oil for ideal behavior and engine protection in all operating conditions. Provides reliable lubrication, optimum noise suppression and low wear together with perfect clutch function and smooth shifting.

- miscible with all commercially available motor oils
- suitable for wet clutches
- optimum stability to aging
- outstanding oil film strength
- high wear resistance
- high shear stability
- ideal with catalytic converters
- guarantees low oil consumption



Size	QTY/CS	MFG #	Part #
1-Liter	6	20062	746053
4-Liter	4	20064	746055

**Motorbike 4T SAE
5W-40 HC Street**

Fully synthetic high-performance motor oil provides optimum performance and engine protection in all operating conditions. Ensures outstanding engine cleanliness, excellent friction behavior and minimum wear together with perfect clutch operation, and smooth gear shifting.

- guarantees low oil consumption
- high shear stability
- high wear resistance
- optimum stability to aging
- optimum lubrication under all operating conditions
- outstanding engine cleanliness
- ideal with catalytic converters
- especially suitable for wet clutches



Size	QTY/CS	MFG #	Part #
1-Liter	6	20412	746036
4-Liter	4	20414	746041
20-Liter	1	20416	746072

4 STROKE OIL CONTINUED

**Motorbike 4T Synth
5W-40 Street Race**

Fully synthetic high-performance motor oil, developed and tested on racing machines. Ensures maximum performance and protection even in extreme operating conditions. Provides maximum engine cleanliness with reduced friction and minimum wear, smooth clutch operation, and effortless gear shift resulting in complete riding satisfaction!

- suitable for wet clutches
- ideal with catalytic converters
- optimum stability to aging
- high engine cleanliness
- guarantees low oil consumption
- optimum lubrication under all operating conditions
- excellent shear stability
- excellent wear resistance



Size	QTY/CS	MFG #	Part #
1-Liter	6	20074	746046
4-Liter	4	20076	746039
20-Liter	1	20304	746077

**Motorbike 4T SAE
10W-40**

High quality mineral-based motor oil for ideal behavior and engine protection in all operating conditions. Provides reliable lubrication, optimum noise suppression and low wear together with perfect clutch function and smooth shifting.

- especially suitable for wet clutches
- ideal with catalytic converters
- guarantees low oil consumption
- optimum lubrication under all operating conditions
- high shear stability
- outstanding engine cleanliness



Size	QTY/CS	MFG #	Part #
1-Liter	6	20190	746045
4-Liter	4	20192	746059
20-Liter	1	20194	746070

**Motorbike 4T Synth SAE
10W-50 Street Race**

Fully synthetic high-performance motor oil, developed and tested on racing machines. Ensures maximum performance and protection even in extreme operating conditions. Provides maximum engine cleanliness with reduced friction and minimum wear, smooth clutch operation, and effortless gear shift resulting in complete riding satisfaction!

- high shear stability
- optimum stability to aging
- optimum lubrication under all operating conditions
- ideal with catalytic converters
- especially suitable for wet clutches
- guarantees low oil consumption
- excellent wear protection



Size	QTY/CS	MFG #	Part #
1-Liter	6	20066	746052
4-Liter	4	20068	746049
20-Liter	1	20305	746073

**Motorbike 4T SAE
10W-40 Offroad**

Fully synthetic high-performance motor oil provides optimum performance and engine protection in all operating conditions. Ensures outstanding engine cleanliness, excellent friction behavior and minimum wear together with perfect clutch operation, and smooth gear shifting.

- outstanding engine cleanliness
- guarantees low oil consumption
- high resistance to aging
- optimum lubrication under all operating conditions
- especially suitable for wet clutches
- high shear stability



Size	QTY/CS	MFG #	Part #
1-Liter	6	20082	746047
4-Liter	4	20084	746061
20-Liter	1	20306	746078

Motorbike 4T Synth SAE 10W-60 Street Race

Fully synthetic high-performance motor oil, developed and tested on racing machines. Ensures maximum performance and protection even in extreme operating conditions. Provides maximum engine cleanliness with reduced friction and minimum wear, smooth clutch operation, and effortless gear shift resulting in complete riding satisfaction!

- outstanding engine cleanliness
- suitable for wet clutches
- optimum stability to aging
- low evaporation loss
- miscible with all commercially available motor oils
- ideal with catalytic converters
- guarantees low oil consumption
- excellent wear protection
- increases lubricating



Size	QTY/CS	MFG #	Part #
1-Liter	6	20070	746048
4-Liter	4	20072	746066

**Motorbike 4T Synth SAE
10W-50 Offroad Race**

Fully synthetic high-performance motor oil, developed and tested on racing machines. Ensures maximum performance and protection even in extreme operating conditions. Provides maximum engine cleanliness, reduced friction and minimum wear with smooth clutch operation, and effortless gear shift resulting in complete riding satisfaction!

- outstanding engine cleanliness
- especially suitable for wet clutches
- guarantees low oil consumption
- high shear stability
- excellent wear protection
- high resistance to aging



Size	QTY/CS	MFG #	Part #
1-Liter	6	20078	746032
4-Liter	4	20080	746057

**Motorbike 4T SAE
10W-60 Offroad Race**

Fully synthetic high-performance motor oil, developed and tested on racing machines. Ensures maximum performance and protection even in extreme operating conditions. Provides maximum engine cleanliness, reduced friction and minimum wear with smooth clutch operation, and effortless gear shift resulting in complete riding satisfaction!

- ideal with catalytic converters
- outstanding engine cleanliness
- excellent wear protection
- optimum stability to aging
- especially suitable for wet clutches
- guarantees low oil consumption



Size	QTY/CS	MFG #	Part #
1-Liter	6	20186	746062
4-Liter	4	20188	746069

Snowmobile Motor Oil SAE 0W-40

Fully synthetic low-friction motor oil designed for quick lubrication on cold start. The combination of high quality synthetic base oils together with an advanced additive package produces a low viscosity motor oil with high shear stability. This high-quality blend prevents engine deposits. Engine wear is reduced to a minimum thanks to low friction and heat.

- excellent wear protection
- outstanding lubrication reliability
- outstanding high temperature stability
- instant lubrication after cold start
- extremely low evaporation loss
- outstanding engine cleanliness
- ideal with catalytic converters
- optimum oil pressure under all operating conditions



Size	QTY/CS	MFG #	Part #
1-Liter	6	20148	746050

4 STROKE OIL CONTINUED

Snowbike Motor Oil SAE 0W-40

Fully synthetic low-friction motor oil designed for quick lubrication on cold start. The combination of high quality synthetic base oils together with an advanced additive package produces a low viscosity motor oil with high shear stability. This high-quality blend prevents engine deposits. Engine wear is reduced to a minimum thanks to low friction and heat.



- excellent wear protection
- outstanding high temperature stability
- extremely low evaporation loss
- instant lubrication after cold start
- outstanding engine cleanliness
- ideal with catalytic converters

Size	QTY/CS	MFG #	Part #
1-Liter	6	20356	746043
4-Liter	4	20358	746051

GEAR OIL

Motorbike Gear Oil SAE 75W-90

Fully Synthetic, GL5 high-performance extreme- pressure gear oil. Facilitates smooth and precise shifting even in extreme conditions, provides excellent wear protection properties and ideal viscosity- temperature behavior.



- high efficiency
- excellent wear protection
- wide viscosity range
- reduces transmission noise
- good corrosion protection
- guarantees smooth gearshifting
- guarantees low fuel consumption

Size	QTY/CS	MFG #	Part #
1-Liter	6	20086	746026

Motorbike Gear Oil SAE 75W-140 (GL5)

Fully Synthetic, GL5 high-performance extreme- pressure gear oil. Facilitates smooth and precise shifting even in extreme conditions, provides excellent wear protection properties and ideal viscosity- temperature behavior.



- outstanding corrosion protection
- reduces transmission noise
- excellent wear resistance
- wide viscosity range

Size	QTY/CS	MFG #	Part #
1-Liter	6	20088	746028

FORK OIL

Motorbike Fork Oil SAE 5W light

Full synthetic, low-viscosity fork or shock-absorber oil. Unique formulation prevents premature shear loss and provides full performance even after extended usage. Prevents foaming and maintains seals to prevent leaks. Long service life in combination with good corrosion and wear protection.



- exceptionally sensible responsiveness
- can be used up to fork oil requirement SAE 2.5W with regard to viscosity and viscous characteristics
- lasting corrosion protection
- prevents foam formation
- increases driving safety
- high wear resistance
- prevents seals from swelling

Size	QTY/CS	MFG #	Part #
1-Liter	6	20094	746018
20-Liter	1	20402	746022

Motorbike Fork Oil SAE 7.5W medium/light

Full synthetic, medium/light viscosity fork or shock- absorber oil. Unique formulation prevents premature shear loss and provides full performance even after extended usage. Prevents foaming and maintains seals to prevent leaks. Long service life in combination with good corrosion and wear protection.



- good corrosion protection
- prevents seals from swelling
- prevents foam formation
- high wear resistance
- increases driving safety

Size	QTY/CS	MFG #	Part #
1-Liter	6	20098	746020
20-Liter	1	20403	746024

Motorbike Fork Oil SAE 10W medium

Full synthetic, medium-viscosity fork or shock-absorber oil. Unique formulation prevents premature shear loss and provides full performance even after extended usage. Prevents foaming and maintains seals to prevent leaks. Long service life in combination with good corrosion and wear protection.



- prevents seals from swelling
- prevents foam formation
- good corrosion protection
- high wear resistance
- better drivability

Size	QTY/CS	MFG #	Part #
1-Liter	6	20092	746019
20-Liter	1	20404	746023

Motorbike Fork Oil SAE 15W heavy

Full synthetic, high-viscosity fork or shock-absorber oil. Unique formulation prevents premature shear loss and provides full performance even after extended usage. Prevents foaming and maintains seals to prevent leaks. Long service life in combination with good corrosion and wear protection.



- high wear resistance
- prevents foam formation
- increases driving safety
- lasting corrosion protection
- prevents seals from swelling

Size	QTY/CS	MFG #	Part #
1-Liter	6	20096	746021
20-Liter	1	20405	746025

SHOCK OIL

Motorbike Shock Absorber Oil RACE

Fully synthetic shock absorber oil. Prevents deposit build-up while reducing friction and wear. Foaming is prevented even during extreme conditions. The unique formulation allows better handling and rider feedback which allows easier suspension tuning. Fluid color is blue.

- increases driving safety
- high wear resistance
- outstanding viscosity stability
- prevents build-up of deposits
- very compatible with seals
- outstanding corrosion protection
- prevents foam formation



Size	QTY/CS	MFG #	Part #
1-Liter	6	20290	746027
20-Liter	1	20292	746030

Motorbike Shock Absorber Oil

Mineral based shock absorber oil. Prevents deposit build-up while reducing friction and wear. Foaming is prevented even during extreme conditions. The unique formulation allows better handling and rider feedback which allows easier suspension tuning.

- increases driving safety
- high wear resistance
- prevents the build-up of deposits
- outstanding viscosity stability
- very compatible with seals
- outstanding corrosion protection
- prevents foam formation



Size	QTY/CS	MFG #	Part #
1-Liter	6	20294	746029
20-Liter	1	20293	746031

ADDITIVES

Motorbike 4T Bike-Additive (FUEL)

Removes deposits from the fuel system, valves, spark plugs and the combustion chamber while preventing new deposit formation. Improves engine performance and lowers emissions. Provides corrosion protection throughout and prevents carburetor icing.

- optimizes engine performance
- prevents corrosion in the fuel system
- reduces residue
- environmentally friendly
- increases operational reliability
- for carburetor and fuel-injection engines
- highly economical
- reduces the risk of knocking combustion
- normalizes fuel consumption and exhaust emissions



Size	QTY/CS	MFG #	Part #
0.08-Liter	24	20142	746079
0.125-Liter	6	20048	746086

Motorbike Speed Additive (FUEL)

A unique, state-of-the-art combination of acceleration-enhancing, cleaning, dispersing and material-protecting additives. Easy engine start, smoother running and better throttle response are the effects.

- higher performance gain
- improves acceleration
- cleans the fuel system
- protects fuel against oxidation and aging
- prevents corrosion in the fuel system
- prevents carburetor icing
- increases operational reliability



Size	QTY/CS	MFG #	Part #
0.15-Liter	6	20108	746087

Motorbike Gasoline Stabilizer (FUEL)

Preserves fuel against premature aging and oxidation during long term storage. Prevents corrosion in fuel system and increases operational reliability of 2- and 4-stroke engines in motor scooters, ATVs, snowmobiles etc. during long-term storage.

- has a lasting effect
- increases operational reliability
- simple to use
- ideal with catalytic converters
- cost-effective due to exact dosage
- protects fuel against oxidation and aging



Size	QTY/CS	MFG #	Part #
0.25-Liter	6	20052	746085

Motorbike Engine Flush (OIL)

A highly effective formulation for quick and safe removal of deposits from engines before an oil change. A clean engine will provide less wear, lower emissions and improved performance while preventing premature oil degradation.

- cleaning and care
- simple to use
- does not attack common sealing materials
- restores the engine to its original performance
- ideal with catalytic converters
- long engine service life
- highly economical



Size	QTY/CS	MFG #	Part #
0.08-Liter	24	20196	746080
0.25-Liter	6	20050	746083

Motorbike Speed Shooter (FUEL)

A unique, state-of-the-art combination of acceleration-enhancing, cleaning, dispersing and material-protecting additives. Easy engine start, smoother running and better throttle response are the effects.

- good corrosion protection
- residue-free combustion
- guarantees optimum combustion
- improves acceleration
- removes deposits from entire fuel system
- highly economical
- prevents carburetor icing
- higher performance gain



Size	QTY/CS	MFG #	Part #
0.8-Liter	24	20140	746082

Motorbike MoS2 Shooter (OIL)

Provides immediate friction and wear reduction. An extremely protective and pressure-resistant boundary layer will form on all wear surfaces and provide cold-start lubrication to prevent damage caused by lack of oil. The result is longer engine life, improved efficiency and less noise.

- increases smooth operation
- ideal with catalytic converters
- smooth engine running
- minimizes friction
- miscible with all commercially available gear oils
- miscible with all commercially available motor oils
- reduces oil and fuel consumption
- prevents operational malfunctions
- reduces wear



Size	QTY/CS	MFG #	Part #
0.2-Liter	24	20296	746081

ADDITIVES CONTINUED

Motorbike Radiator Cleaner (COOLANT)

Removes deposits from cooling systems in all motor vehicles. It removes scale, grease, sludge and other deposits to allow restored performance and proper cooling.

- disperses sludge
- removes oil and grease-based contaminants
- compatible with antifreeze
- chemical conversion of lime
- neutralizes acids
- neutral behavior on rubber and plastics



Size	QTY/CS	MFG #	Part #
0.15-Liter	6	20166	746084

GREASES/PASTE

Long-Life Grease + MoS2

High performance grease for a wide application range in all motor vehicles and for general machine lubrication. Thanks to added MoS2 it offers outstanding protection during extreme loads and high heat and also adds limp-home properties. For heavily loaded bearings and joints, splined shafts, threads and guides

- ideal for constant velocity drive joints
- friction and wear reducing
- outstanding lubricating action
- highest load-carrying capacity
- economical
- good corrosion protection
- distinctive high
- pressure characteristics
- increases operational reliability
- high resistance to aging



Size	QTY/CS	MFG #	Part #
0.10-kg	12	2003	746088

LM 508 Anti-Seize Compound

A release agent, specifically designed for high temperature applications on threaded connections and parting surfaces which are exposed to high temperatures, high pressures and corrosive effects in turbines, compressor equipment, exhaust systems, spark plug threads etc.

- outstanding thermal resistance
- resistant to acceleration forces
- outstandingly adherent
- long-term corrosion protection
- lubricant and release effect
- prevents brake noise
- universal application
- protects from welding and seizing



Size	QTY/CS	MFG #	Part #
0.10-kg	12	2012	746089

LM 48 Installation Paste

A unique, state-of-the-art combination of acceleration-enhancing, cleaning, dispersing and is used for assembly of engines, gearboxes, industrial machinery or for press fitting etc. Very adherent on polished surfaces. Use on engine bearings, piston skirts, camshaft lobes etc. Prevents dry-run damage at start-up.

- outstanding emergency-running properties
- outstandingly adherent
- high capacity
- high wear resistance
- good corrosion protection
- low coefficient of friction
- easy to use
- highly economical



Size	QTY/CS	MFG #	Part #
0.5-kg	12	20216	746090

Multipurpose Grease

High performance Multipurpose Grease for use in a wide range of applications in motor vehicles and general machine lubrication. Carefully selected ingredients offer good corrosion protection, ensures long-term lubrication in damp and dusty environments. Resists cold and hot water washout.

- excellent stability to liquefying
- friction and wear reducing
- good corrosion protection
- highest load-carrying capacity
- especially resistant to cold and hot water
- outstanding slip properties
- optimum stability to aging



Size	QTY/CS	MFG #	Part #
0.40-kg	12	20246	746091

LM 50 Litho HT

High performance grease used in a wide range of applications in motor vehicles. Specifically recommended for fast spinning bearings with high load such as wheel bearings. Provides excellent wear protection and high-pressure absorbance capacity.

- high capacity
- wide operating temperature range
- highest load-carrying capacity
- optimum stability to aging
- friction and wear reducing
- good corrosion protection
- universal application



Size	QTY/CS	MFG #	Part #
0.40-kg	12	20248	746092



PROUDLY DISTRIBUTED BY

AUTOMATIC
DISTRIBUTORS

22 TARGET CIRCLE
BANGOR, MAINE 04401

207.942.6769
CUSTSERV@AUTODIST.COM

AUTODIST.COM